PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: (11) International Publication Number: WO 97/38705 A1 A61K 38/05 23 October 1997 (23.10.97) (43) International Publication Date: (81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, PCT/US97/05744 (21) International Application Number: CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, 7 April 1997 (07.04.97) (22) International Filing Date: MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian (30) Priority Data: patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, US 60/016,295 12 April 1996 (12.04.96) LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). (71) Applicant: BRISTOL-MYERS SQUIBB COMPANY [US/US]; P.O. Box 4000, Princeton, NJ 08543-4000 (US). (72) Inventor: ROBL, Jeffrey, A.; 7 Tulip Drive, Newtown, PA Published With international search report. 18940 (US). Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of (74) Agents: RODNEY, Burton et al.; Bristol-Myers Squibb Comamendments. pany, P.O. Box 4000, Princeton, NJ 08543-4000 (US).

(54) Title: N-FORMYL HYDROXYLAMINE CONTAINING COMPOUNDS USEFUL AS ACE INHIBITORS AND/OR NEP INHIBITORS

(57) Abstract

N-formyl hydroxylamines are provided which have structure (I) wherein R and R^1 are as defined herein and A is a dipeptide derived from an amino acid or is a conformationally restricted dipeptide mimic.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL.	Albania	ES	Spain	LS	Lesotho	SE	Slovenia
AM	Armenia	FI	Pinland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GB	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Paso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IB	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	n.	Israel	MR	Maurkania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	П	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Vict Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zenland		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	K2	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Pederation		
DE	Germany	u	Liechtenstein	ŞD	Sudan		
DK	Denmark	LK	Sri Lanka	SK.	Sweden		
ER	Batonia	LR	Liberia	8G	Singapore		

N-FORMYL HYDROXYLAMINE CONTAINING COMPOUNDS USEFUL AS ACE INHIBITORS AND/OR NEP INHIBITORS

Summary of the Invention

5 This invention is directed to novel compounds possessing angiotensin converting enzyme (ACE) inhibitory activity and/or neutral endopeptidase (NEP) inhibitory activity and methods of preparing such compounds. This invention is also directed to pharmaceutical compositions containing such ACE and/or NEP inhibiting compounds or pharmaceutically acceptable salts thereof and the method of using such compositions.

The compounds of this invention are those of the formula (I)

including a pharmaceutically acceptable salt thereof where:

20 x is 0 or 1;

25

30

R is H, alkyl, alkenyl, aryl- $(CH_2)_p$ -, heteroaryl- $(CH_2)_p$ -, cycloheteroalkyl- $(CH_2)_p$ -, or

R can be joined together with the carbon to which it is attached to form a 3 to 7 membered ring which may optionally be fused to a benzene ring;

 R^1 is H or $-COR^2$ where R^2 is alkyl, aryl- $(CH_2)_p$ -, cycloheteroalkyl- $(CH_2)_p$ -, heteroaryl- $(CH_2)_p$ -, alkoxy, or cycloalkyl- $(CH_2)_p$ -;

p is 0 or an integer from 1 to 8; and
A is a dipeptide derived from one or two
non-proteinogenic amino acid or is a
conformationally restricted dipeptide mimic as
described below.

A is a dipeptide derivative of the 35 structure

where R^{1a} , R^{1b} , R^{2a} and R^{2b} are independently selected from H, alkyl, aryl- $(CH_2)_p$ -, cycloalkyl, cycloheteroalkyl- $(CH_2)_p$ -, heteroaryl- $(CH_2)_p$ -, biphenylmethyl, or

 ${\sf R^{1a}}$ and ${\sf R^{1b}}$ or ${\sf R^{2a}}$ and ${\sf R^{2b}}$ may be joined together to the carbon to which they are attached to form a 3 to 7 membered ring, optionally fused to

10 a benzene ring; and cor refers to an optional 5 or 6 membered ring containing a single hetero atom and which may optionally include an R⁵ substituent (as shown) which is H, alkyl, aryl-(CH₂)_p or cycloalkyl-(CH₂)_p, cycloheteroalkyl15 (CH₂)_p, or cycloheteroaryl-(CH₂)_p-;

 R^3 is H, alkyl or aryl -(CH₂)_p-;

 R^4 is OH, Oalkyl, O-(CH₂)_paryl- or NR₁(R₂) where R₁ and R₂ are independently H, alkyl, or aryl(CH₂)_p or heteroaryl-(CH₂)_p-;

with the proviso that in A(1) at least one of



is other than a natural α -amino acid, and thus must be other than valine, leucine, phenylalanine, tyrosine, serine, cysteine, threonine, methionine, aspartic acid, glutamic acid, arginine, lysine or proline.

In addition, A can be a conformationally restricted dipeptide mimic which has the structure

30

25

20

and is a non-proteinogenic dipeptide.

Thus, the compound of formula I include

and

5

The term "conformationally restricted dipeptide mimic" refers to a structural skeleton which has the attributes of a conventional dipeptide

15

but having enhanced biological properties due to additional bonds which limit the rotational freedom.

Examples of the A(2) dipeptide mimics 20 include any of the conformationally restricted dipeptide mimics set out below.

5

PCT/US97/05744

10

15

20

25

30

A(21)

R

A(22)

A(22)

A(23)

A(23)

A(23)

Where
$$Y = 0$$
, S, CH_2 or $S(0)_{0,1,2}$
 $X^2 = 0$, $S(0)_{0,1,2}$, CH_2

With respect to A(5), R^{11} and R^{12} are independently selected from hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, cycloalkyl $-(CH_2)_{m^-}$, aryl $-(CH_2)_{m^-}$, substituted aryl $-(CH_2)_{m^-}$, and heteroaryl $-(CH_2)_{m^-}$, or R^{11} and R^{12} taken together with the carbon to which they are attached complete a saturated cycloalkyl ring of 3 to 7 carbons, or R^{11} and R^{12} taken together with the carbon to which they are attached complete a keto substituent, i.e.,

with respect to A(13) R^8 , R^9 and R^7 are independently selected from hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, cycloalkyl -(CH₂)_m-, aryl-(CH₂)_m-, substituted aryl-(CH₂)_m-, and heteroaryl-(CH₂)_m-;

 R^{10} and R^6 are independently selected from hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, cycloalkyl $-(CH_2)_m$, aryl- $(CH_2)_m$, substituted aryl $-(CH_2)_m$, and heteroaryl- $(CH_2)_m$, or R^6 and R^{10} taken together with the carbon to which they are attached complete a saturated cycloalkyl ring of 3 to 7 carbons, R^6 and R^8 taken together with the carbon to which they are attached complete a saturated cycloalkyl ring of 3 to 7 carbons, or R^9 and R^{10} taken together with the carbon to which they are attached complete a saturated cycloalkyl ring of 3 to 7 carbons;

5

15

20

m is zero or an integer from 1 to 6; R^4 is OH, Oalkyl, $O-(CH_2)_m$ -heteroaryl,

$$CH-O-C-R^{15}$$
 R^{14}
, $O-(CH_2)_m$ -aryl, or $-O-CH_2$
 R^{16} or R^{16}

where R_1 and R_2 are independently H, alkyl, aryl(CH₂)_D, aryl or heteroaryl;

R¹⁴ is hydrogen, lower alkyl, cycloalkyl, or phenyl;

 \mathbb{R}^{15} is hydrogen, lower alkyl, lower alkoxy or phenyl;

 R^{16} is alkyl or aryl-(CH2) m^- ; and

 $_{R}^{17}$ is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, cycloalkyl-(CH2)_m-, aryl-(CH2)_m-, substituted aryl-(CH2)_m-, or heteroaryl-(CH2)_m-.

 ${
m R}^{18}$ is H, alkyl or alkenyl, and ${
m R}^{18}$ and ${
m R}^{17}$ may be taken together with the carbon and nitrogen to which they are attached to complete a saturated N-containing ring of 5 or 6 ring members.

 R^{19} is H or an alkyl, and in A(4), R^{19} and X (which is CH_2) together with the carbons to which they are attached may form an aromatic ring of carbons (as in A(15).

The starting compounds H-A(1) and H-A(2)

are described in the literature or are obtained by modifications of known procedures. For example, the starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formulas A(5), A(13), A(16), A(21), where Y (where present) is CH₂ are disclosed by Thorsett et al., J. Med. Chem., 29, p. 251 - 260 (1988), Harris et al. in U.S. Patents 4,587,050, 4,587,238, 4,629,787 and Yanagisawa et al. in U.S. Patent 4,734,410.

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formulas A(3) and A(13) where Y is S(0)n are disclosed by Yanagisawa et al., J., Med. Chem., 30, p. 1984 - 1991 (1987) and 31, p. 422 - 428 (1988), Karanewsky in U.S. Patent 4,460,579, Cheung et al. in U.S. Patent 4,594,341, and Yanagisawa et al. in U.S. Patent 4,699,905.

The starting compounds of formula H-A(1) or 10 H-A(2) wherein A(1) or A(2) is as defined in formula A(5) are disclosed by Karanewsky in U.S. Patents 4,460,579 and 4,711,884.

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in

15 formulas A(3) (Y is -CH₂-, and A(21) are disclosed by Watthey et al., J. Med. Chem., <u>28</u>, p. 1511 - 1516 (1985) and Watthey in U.S. Patents 4,410,520, 4,470,988, 4,473,575, 4,537,885 and 4,575,503 and also by Parsons et al., Biochemical & Biophysical Research Comm., <u>117</u>, p. 108 - 113 (1983) and in U.S. Patent 4,873,235.

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formula A(3) and Y is S or O are disclosed by Slade et al., J. Med. Chem., 28, p. 1517 - 1521 (1985) and in U.S. Patent 4,477,464 and Itoh et al., Chem. Pharm. Bull., 34, p. 1128 - 1147 (1986) and 34, p. 2078 - 2089 (1986) as well as Sugihara et al. in U.S. Patent 4,548,932 (Y is O) and Katakami et al. in U.S. Patent 4,539,150 (Y is S).

25

30

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formula A(16) can be prepared by reduction of the corresponding starting compounds wherein A(1) or A(2) is as defined in formula A(3).

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in

formula A(22) are disclosed by Flynn et al in U.S. Patent 4,973,585.

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formula A(10) and Y is S, -SO, or -SO₂ are disclosed by Harris et al. and Patchett et al. in U.S. Patents 4,415,496 and 4,617,301.

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formula A(10) and Y is CH₂, and is as defined in formula A(23) where X² is CH₂ is disclosed by Thorsett, Actual. Chim. Ther., <u>13</u>, p. 257-268 (1986).

The starting compounds of formula H-A(1) or 15 H-A(2) wherein A(1) or A(2) is as defined in formulas A(11) and A(19) and A(20) are disclosed by Attwood et al., Federation of European Biochemical Studies, 165, p. 201-206 (1984) and in U.S. Patent 4,512,994 and Natoff et al., Drugs Of The Future, 12, p. 475-483 (1987).

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formula A(12) are disclosed by Huang et al. in U.S. Patent 4,465,679.

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formula A(18) are disclosed by Bolos et al. in Tetrahedron, 48, p. 9567-9576 (1992).

The starting compounds of formula H-A(1) or 30 H-A(2) wherein A(1) or A(2) is as defined in formulas A(4) and A(15) are disclosed in European Patent Application 0629627A2.

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in 35 formula A(9) are disclosed in U.S. application Serial No. 100,408 (file HA61la).

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formulas A(7) and A(8) are disclosed in European Patent Application 481,522 (Flynn et al) and European Patent Application 0534363A2 (Warshawsky et al).

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formula A(14) are disclosed in U.S. application Serial No. 153,854 (file HA615).

10

25

30

The starting compounds of formula H-A(1) or H-A(2) wherein A(1) or A(2) is as defined in formula A(17) are disclosed in European Patent Application 0599444Al (Barrish et al).

In addition, in accordance with the present invention, a pharmaceutical composition is provided which includes a therapeutically effective amount of compound I and a pharmaceutically acceptable carrier therefor.

20 The pharmaceutical composition as defined above will be useful in the treatment of cardiovascular diseases such as hypertension and/or congestive heart failure.

Furthermore, in accordance with the present invention, a method is provided for treating a cardiovascular disease such as hypertension and/or congestive heart failure, as well as other diseases as set out hereinafter, which includes the step of administering to a mammalian species, including humans, dogs and cats, a therapeutically effective amount of a composition as defined above.

Detailed Description Of The Invention

The term "alkyl" or "lower alkyl" refers to 35 straight or branched chain radicals having up to and including ten carbon atoms, preferably up to and including six carbon atoms, which may

optionally include one, two, or three substituents including a hydroxy, amino, alkyl, cycloalkyl, aryl, halo, trifluoromethyl, cyano, -NH(lower alkyl), -N(lower alkyl)₂, lower alkoxy, lower alkylthio, carboxy or heteroaryl.

The term "alkenyl" refers to straight or branched chain radicals of 3 to 10 carbon atoms having one or two double bonds, preferably straight chain radicals of 3 to 5 carbons having one double bond, which may optionally be substituted with one, two or three substituents including alkyl, aryl, cycloalkyl, hydroxy, amino, halo, trifluoromethyl, cyano, -NH(lower alkyl), -N(lower alkyl)2, lower alkoxy, lower alkylthio, carboxy or heteroaryl.

10

15

20

25

30

35

The terms "alkoxy" or "lower alkoxy" and "alkylthio" or "lower alkylthio" refer to such alkyl groups as defined above attached to an oxygen or sulfur.

The term "cycloalkyl" refers to saturated rings of 3 to 7 carbon atoms.

The term "halo" refers to chloro, bromo, fluoro, and iodo.

The term "aryl" refers to aromatic groups containing 6 to 10 carbons, preferably phenyl, 1-naphthyl, and 2-naphthyl, which may optionally contain one, two or three substituents selected from alkyl, alkoxy, alkylthio, halo, hydroxy, trifluoromethyl, -SO₂NH₂, amino, -NH(lower alkyl), or -N(lower alkyl)₂, di- and tri-substituted phenyl, 1-naphthyl, or 2-naphthyl, wherein said substituents are preferably selected from methyl, methoxy, methylthio, halo, hydroxy, and amino.

The term "heteroaryl" refers to unsaturated rings of 5 or 6 atoms containing one or two 0 and S atoms and/or one to four N atoms provided that the total number of hetero atoms in the ring is 4 or less, which may optionally be substituted with one,

two or three substituents which include alkyl, aryl, cycloalkyl, alkoxy or halo. The heteroaryl ring is attached by way of an available carbon or nitrogen atom. Preferred heteroaryl groups include 2-, 3-, or 4-pyridyl, 4-imidazolyl, 4-thiazolyl, 2and 3-thienyl, and 2- and 3-furyl. The term heteroaryl also includes bicyclic rings wherein the five or six membered ring containing O, S, and N atoms as defined above is fused to a benzene or pyridyl ring. Preferred bicyclic rings are 2- and 3-indolyl and 4- and 5-quinolinyl. The mono or bicyclic heteroaryl ring can also be additionally substituted at an available carbon atom by a lower alkyl, halo, hydroxy, benzyl, or cyclohexylmethyl. Also, if the mono or bicyclic ring has an available 15 N-atom such N atom can also be substituted by an Nprotecting group such as

$$-CH_2-O-CH_2$$
 , $-SO_2$ $-CH_3$

20

2,4-dinitrophenyl, lower alkyl, benzyl, or benzhydryl.

The compounds of formula I of the invention may be prepared as outlined in Reaction Scheme I set out below (where x is 0 or 1).

PCT/US97/05744

Reaction Scheme I

As shown in Scheme I, acid 2 may be reacted 5 with a suitably 0-protected (e.g. PG¹ is benzyl, pmethoxybenzyl, tetrahydropyranyl, trityl, benzhydryl, etc.) hydroxylamine to give the adduct 3. Compound 3 may be coupled directly with amine 10 H-A(1) or H-A(2) to give a mixture of diastereomers which may be separated or preferably compound 3 may be optically enriched or purified, employing conventional techniques, to give 3*. Subsequent coupling with H-A(1) or H-A(2) gives 4 15 in diastereomerically enriched or pure form. Reaction of the hydroxylamine nitrogen of 4 with a formylating agent affords 5. At this point one or both protecting groups may be removed, either sequentially or simultaneously, to produce compound of the invention IA. For example, when PG1 is 20 benzyl and R4 is Obenzyl, both may be removed by hydrogenolysis. When PG1 is benzyl and R4 is -Omethyl or -Oethyl, the PG1 group may be removed by hydrogenolysis and the ester group may be 25 converted to the acid by base hydrolysis.

groups such as THP or trityl may be removed by treatment with strong acid such as hydrogen chloride or trifluoro acetic acid in a protic solvent.

Alternately, compounds of the invention IA may be obtained by the route depicted in Scheme II (where x is 0 or 1).

Reaction Scheme II

10

15

H-A(1) or H-A(2)

As seen in Reaction Scheme II, compound 3 may be formylated with an formylating agent 4a to give acid compound 7. This acid may be coupled with A(1) or A(2) directly or optically resolved to give 7* and then coupled to give compound 5. Compound 5 is then converted to compound of the invention IA as described above.

The compounds of formula I of the invention contain one or more asymmetric centers. Thus, these compounds can exist in diastereoisomeric forms or in mixtures thereof and all of such forms are within the scope of this invention. The above described processes can utilize racemates, enantiomers, or diastereomers as starting materials. When diastereomeric compounds are prepared, they can be separated by conventional

PCT/US97/05744 WO 97/38705

chromatographic or fractional crystallization methods.

5

15

20

25

30

The compounds of formula I of the invention can be isolated in the form of a pharmaceutically acceptable salt. Suitable salts for this purpose are alkali metal salts such as sodium and potassium, alkaline earth metal salts such as calcium and magnesium, and salts derived from amino acids such as arginine, lysine, etc. These salts are obtained by reacting the acid form of the 10 compound with an equivalent of base supplying the desired ion in a medium in which the salt precipitates or in aqueous medium and then lyophilizing.

The compounds of formula I of the invention are inhibitors of angiotensin converting enzyme and/or neutral endopeptidase. Thus, the compounds of formula I including their pharmaceutically acceptable salts are useful in the treatment of physiological conditions in which either angiotensin converting enzyme inhibitors or neutral endopeptidase inhibitors have been shown to be useful. Such conditions include cardiovascular diseases, particularly, hypertension, congestive heart failure, renal failure, and hepatic cirrhosis, as well as analgesic activity. compounds of formula I are also inhibitors of other metalloproteases such as the matrix metalloproteases, for example, gelatinase, collagenase and stromylysin and thus are useful in the treatment of osteroarthritis, rheumatoid arthritis, metastatic tumors, and angiogenesis.

Diuresis, natriuresis, and blood pressure reduction are produced in a mammalian host such as 35 man by the administration of from about 1 mg. to about 100 mg. per kg. of body weight per day, preferably from about 1 mg. to about 50 mg. per kg.

PCT/US97/05744 WO 97/38705

of body weight per day, of one or more of the compounds of formula I or a pharmaceutically acceptable salt thereof. The compounds of formula I are preferably administered orally, but parenteral routes such as subcutaneous, intramuscular, and intravenous can also be employed. The daily dose can be administered singly or can be divided into two to four doses administered throughout the day.

10

20

The ACE and/or NEP inhibitors of formula I can be administered in combination with human ANF 99 - 126. Such combination would contain the inhibitor of formula I at from about 1 to about 100 mg. per kg. of body weight and the human ANF 99 -15 126 at from about 0.001 to about 0.1 mg. per kg. of body weight.

The ACE and/or NEP inhibitors of formula I can be administered in combination with other classes of pharmaceutically active compounds. For example, a calcium channel blocker, a potassium channel activator, a cholesterol reducing agent, etc.

The ACE and/or NEP inhibitors of formula I or a pharmaceutically acceptable salt thereof and 25 other pharmaceutically acceptable ingredients can be formulated for the above described pharmacetical uses. Suitable compositions for oral administration include tablets, capsules, and elixirs, and suitable compositions for parenteral 30 administration include sterile solutions and suspensions. About 10 to 500 mg. of active ingredient is compounded with physiologically acceptable vehicle, carrier, excipient, binder, preservative, stabilizer, flavoring, etc., in a 35 unit dose form as called for by accepted pharmaceutical practice.

Preferred compounds of the invention are those of formula I wherein

 R^1 is H,

x is 1,

10 LD _,

R is alkyl or arylalkyl, and

A is A(1), preferably



where

5

15

20

25

is preferably a non-proteinogenic

amino acid portion wherein,

 ${\rm R}^{1a}$ and ${\rm R}^{1b}$ are each independently alkyl such as methyl or ethyl, or arylalkyl such as benzyl, or

Rla and Rlb together with the carbon to which they are attached form a 3-7 membered ring, preferably a 5-membered ring, or

 $\ensuremath{\mathsf{R}}^{1a}$ and/or $\ensuremath{\mathsf{R}}^{1b}$ is biphenylmethylene and the other may be H.

Also preferred are compounds where A is



A(1), preferably where cor and is a non-proteino-genic amino acid where R³ is H, alkyl, such as methyl or ethyl, aryl such as phenyl, or arylalkyl, such as benzyl,

 R^{2a} and R^{2b} are independently selected from H, alkyl, aryl, arylalkyl (with at least one of R^{2a} and R^{2b} being other than H) or R^{2a} and R^{2b} together with the carbon to which they are attached form a 3-7 membered ring, preferably 5- or 6-membered ring.

Also preferred are compounds where A is A(2) wherein R^4 is OH.

30 The following Examples represent preferred embodiments of the present invention.

PCT/US97/05744 WO 97/38705

A.

A(1).

5

10 A solution of BOC-L-serine (24.3 g, 0.118 mole) in dry dimethylformamide (25 ml) was added dropwise over a period of 1.0 hour to a cooled (0°, ice-salt bath) suspension of 60% NaH (10.1 g, 0.25 mole) in dry dimethylformamide (200 ml) and 15 stirring was continued at 0° until the frothing subsided (ca. 2.0 hours). The reaction mixture was treated dropwise with 1-fluoro-2-nitrobenzene (14.3 ml, 0.13 mole) over a period of 20 minutes, stirred at 0° under argon for 4.0 hours then poured into 20 ice-water (750 ml) and extracted with Et₂O (2 \times 100-ml). The aqueous phase was brought to pH 1.0 with 6 N HCl (70 ml), extracted with EtOAc (3 x 500 ml) and the combined organic extracts were washed with brine (100 ml), dried (anhydrous Na₂SO₄),

filtered, evaporated to dryness and dried in vacuo. The crude product mixture was chromatographed on a silica gel column (Merck), eluting the column with

CH2Cl2:CH3OH:HOAc (100:5:0.2) to give title compound as a thick yellow syrup (27.222 g, 70.7%) with consistent $^1\text{H-NMR}$ and $^{13}\text{C-NMR}$ spectral data. TLC: Rf 0.27 (Silica gel; CH2Cl2:CH3OH:HOAc-100:5:0.5; UV, PMA).

A solution of Part A(1) compound (27.1 g, 10 83 mmoles) in dry methanol (500 ml) was treated with 10% Pd/C (900 mg) and hydrogenated at 40 psi for 2.0 hours. The reaction mixture was filtered through a Celite® pad in a millipore unit, washing the pad well with CH3OH (5 \times 100 ml). The dark 15 filtrate was evaporated to dryness and dried in vacuo to give a dark solid. The crude product was triturated with CH2Cl2:Hexane (1:4) to give title compound as a light tan solid (17.69 g, 71. %) with consistent ¹H-NMR and ¹³C-NMR spectral data. TLC: 20 Rf 0.15 (Silica gel; CH2Cl2:CH3OH:HOAc- 20:1:1; UV).

25

30

5

A solution of Part A(2) compound (16.69 g, 56.3 mmoles) in dry dimethyformamide (121 ml) was treated with 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide (10.64 g, 55.5 mmoles) and stirred at room temperature for 3.0 hours. The reaction mixture was partitioned between EtOAc (2 x 492 ml)

and 1.0 NaHCO3 (492 ml), and the combined organic extracts were washed with H2O (3 x 492 ml), brine (492 ml), dried (anhydrous MgSO4), filtered, evaporated to dryness and dried in vacuo. The crude product was chromatographed on a silica gel column (Merck), eluting the column with EtOAc:Hexane mixtures (1:4; 1:2; 1:1) to give title compound as off-white crystals (10.5 g, 72.4%) with consistent ¹H-NMR and ¹³C-NMR spectral data. TLC: Rf 0.40 (Silica gel; EtOAc:Hexane- 1:4; UV).

в.

A solution of Part A compound (640 mg, 2.30 mmol) in dry THF (12 mL) at 0°C was treated with LiN(TMS)₂ (1.0 M in THF, 2.60 mL, 2.60 mmol) followed approximately 30 seconds later with benzyl bromoacetate (475 μL, 687 mg, 3.0 mmol). After 25 minutes, the mixture was quenched with saturated NH4Cl, diluted with H2O, and extracted with EtOAc. The EtOAc extract was washed with H₂O and brine, then dried (Na₂SO₄), filtered and stripped to give a yellow oil. Flash chromatography (Merck SiO₂, 3/7-EtOAc/hexanes as eluant) provided title compound (967 mg, 98%) as a colorless oil/foam.

C.

30

A solution of Part B compound (960 mg, 2.25 mmol) in 1,4-dioxane (4 mL) was treated with a solution of 4.0 M HCl in 1,4-dioxane (6 mL) at room temperature. After 3 hours, the mixture was concentrated in vacuo, triturated with Et₂O to give a solid and stripped to afford title compound (858 mg, 105% of theory).

m.p. 152-155°C.

10 D.

D(1).

15

20

25

A solution of benzylmalonic acid (23.06 g, 0.12 mole) in H_2O (200 mL) was treated with 37% CH₂O solution (278.4 mL) and 40% aqueous (CH₃)₂NH (35 mL, 0.31 mole) then stirred overnight at room temperature under argon. The clear solution was heated to an internal temperature of 90°C for 2.0 hours (at which time gas evolution had ceased), cooled and acidified to pH 1.0 with 12 N HCl (20 mL). The white precipitates were filtered off, washed with H_2O (3 x 25 mL) and dried in vacuo to give title compound as a white solid (12.85 g, 66.6%) with consistent ¹H-NMR and ¹³C-NMR spectral data. TLC: R_f 0.63 (Silica gel; $CH_2Cl_2:MeOH-9:1;$ UV). m.p. 66-68°C.

(J. Med. Chem. 28, 1985, 1167)

5

A solution of Part D(1) compound (8.9 g, 54.9 mmoles) and 0-benzylhydroxylamine (26.7 g, 0.23 mole) in absolute EtOH (9.0 ml) was refluxed for 7 days, cooled to room temperature and evaporated to dryness. The residual syrup was 10 dissolved in 1.0 $\underline{\text{N}}$ NaOH (55 ml), stirred for 15 minutes then extracted with EtOAc (4x 18 ml). The organic phase was washed with H_2O (3 x 10 ml) and the aqueous extracts were combined and acidified to pH 2.0 with 1.0 N HCl (62 ml). The acidic aqueous 15 phase was then extracted with EtOAc (5 \times 75 ml) and the combined organic extracts washed with H2O (2 x 30 ml), dried (anhydrous Na₂SO₄), filtered, evaporated to dryness and dried in vacuo. The 20 crude product (3.93 g, 25.1%) was triturated with Et₂O:Hexane (1:4; 2 x 25 ml) and all solids obtained were dissolved in CH2Cl2 and filtered, washing the insoluble precipitates with CH2Cl2. The clear filtrate was evaporated and dried in 25 vacuo to give title compound as an opaque colorless solid with consistent ${}^{1}\mathrm{H}\text{-NMR}$ and ${}^{13}\mathrm{C}\text{-NMR}$ spectral data. TLC: Rf 0.33 (Silica gel; CH2Cl2:MeOH- 9:1; UV,

30 M.p. 69-71°C.

PMA).

A cooled (0°C, ice-salt bath) mixture of

5 HCOOH (17.5ml) and acetic anhydride (Ac20) (1.75
ml) was stirred for 20 minutes, treated with Part
D(2) compound (1.0 g, 3.5 mmoles) and stirring was
continued at 0°C for another 3.0 hours. The
reaction mixture was stripped to dryness,

10 evaporated from Et20 (2 x 25 ml), toluene (20 ml)
and hexane (2 x 50 ml) then dried in vacuo to give
title compound as a thick syrup (1.096 g, 100%
crude yield) with consistent
1H-NMR and 13C-NMR spectral data. TLC: Rf 0.23

15 (Silica gel; CH2Cl2:MeOH- 9:1; UV, PMA).

A solution of Part D(3) compound (366 mg, 1.19 mmol) in CH₂Cl₂ (9 mL) at 0°C was treated with HOBT hydrate (210 mg) followed by EDAC (230 mg, 1.20 mmol). After 20 minutes, the mixture was treated with Part C amine hydrochloride 3 (390 mg, 1.07 mmol) followed by 4-methylmorpholine (200 μL, 184 mg, 1.8 mmol). The mixture was stirred at 0°C for 1 hour and at room temperature for 2 hours. The reaction was partitioned between EtOAc and 5% KHSO4. The EtOAc extract was washed successively

with H_2O , 50% saturated NaHCO3 and brine, then dried (Na₂SO₄), filtered and stripped. Flash chromatography (Merck SiO₂, 50% to 60% EtOAc in hexanes as eluant) provided title compound (550 mg, 84%) as a white foam which was shown by NMR and HPLC to be a 1:1 mixture of diastereomers.

E.

10

15

20

25

A solution of Part D compound (535 mg, 0.87 mmol) in MeOH (10 mL) was hydrogenated (balloon) over 10% Pd/C (123 mg) at room temperature for 2.75 hours. The solvent was filtered through Celite and the filtrate was stripped to give a diastereomeric mixture of title Isomer A and Isomer B

. Trituration of a solution of the residue in MeOH with Et₂O provided 350 mg of the diastereomeric mixture. Approximately 255 mg of this mixture was separated by preparative HPLC (YMC S5 ODS 30 x 250 mm column; flow rate 25 mL/min detecting at 220 nm; 40 to 100% B over a 30 minute linear gradient (solvent A: $90\%H_2O-10\%$ MeOH-0.1% TFA; solvent B: 10% H₂O-90% MeOH-0.1% TFA); title Isomer A t_R = 14.4 min; separation performed in three runs). The desired fractions were stripped,

azetroped with EtOAc, re-dissolved in EtOAc and triturated with Et_2O to give title Isomer A (105.5 mg) as an off-white solid.

5 MS: $(M+NH_4)^+$ 459; $(M-H)^-$ 440

HPLC YMC S3 ODS column (6.0 x 150 mm); eluted with B:A solvent mixture, 40 to 100% B over a 20 minute linear gradient (solvent A: 90% H₂O-10% MeOH-0.2% H₂PO₄: solvent B:0% H₂O-90% MeOH-0.2% H₃PO₄); flow

10 H_3PO_4 ; solvent B:0% H_2O -90% MeOH-0.2% H_3PO_4); flow rate 1.5 mL/min detecting at 220 nm; t_R =9.67 min (96.0%).

Anal. Calc'd for C₂₂H₂₃N₃O₇•1.6H₂O•0.1EtOAc•0.1Et₂O C, 56.29; H, 5.80; N, 8.64

15 Found: C, 56.21; H, 5.15; N, 8.29.

- 24 -

5 A solution of Example 1 Part E Isomers A and B (1:1 mixture of diastereomers, 535 mg, 0.87 mmol) in MeOH (10 mL) was hydrogenated (balloon) over 10% Pd/C (123 mg) at room temperature for 2.75 hours. The solvent was filtered through Celite and 10 the filtrate was stripped to give a diastereomeric mixture of Isomers A and B. Trituration of a solution of the residue in MeOH with Et₂O provided 350 mg of the diastereomeric mixture. Approximately 255 mg of this mixture was separated 15 by preparative HPLC (YMC S5 ODS 30 x 250 mm column: flow rate 25 mL/min detecting at 220 nm; 40 to 100% B over a 30 minute linear gradient (solvent A: 90\$H₂O-10\$ MeOH-0.1\$ TFA ; solvent B: 10\$ H₂O-90\$MeOH-0.1% TFA); Isomer B $t_R = 18.6 \text{ min}$; separation 20 performed in three runs). The desired fractions were stripped, azetroped with EtOAc, re-dissolved in EtOAc and triturated with Et₂O to give Isomer B (88.0 mg) as an off-white solid.

25 MS: $(M+NH_4)^+$ 459; $(M-H)^-$ 440

30

HPLC YMC S3 ODS column (6.0 x 150 mm); eluted with B:A solvent mixture, 40 to 100% B over a 20 minute linear gradient (solvent A: $90\%H_2O-10\%$ MeOH-0.2% H_3PO_4 ; solvent B:0% $H_2O-90\%$ MeOH-0.2% H_3PO_4); flow rate 1.5 mL/min detecting at 220 nm; t_R = 13.8 min (94.0%).

Anal. Calc'd for $C_{22}H_{23}N_3O_7 \cdot 1.5H_2O \cdot 0.2Et_2O$

C, 56.66; H, 5.84; N, 8.69

Found: C, 56.84; H, 5.22; N, 8.42.

5

A.

10

15

20

25

A solution of Example 1 Part D(1) compound

BnO

CO₂H

(2.563 gm, 8.98 mmol) in CH₃CN (20 mL) was treated with (1R,2S)-(-)-ephedrine (1.522 gm, 9.2 mmol) and stirred until homogeneous. Most of the solvent was removed by rotary evaporation and the residue was dissolved in Et₂O (25 mL) and treated with hexane (16 mL) in portions until the mixture was slightly turbid. The solution was seeded and let stand overnight at room temperature. The precipitate was collected by filtration and rinsed with 1:1 Et₂0:hexanes and dried to afford 2.101 gm of white crystals ([a]D = -16.4° (c 0.6, CH₂Cl₂)). The solid (2.087 gm) was dissolved in CH₂Cl₂, concentrated and diluted with Et₂O (18 mL) and hexane (8 mL) and seeded. The precipitate was collected by filtration and washed with 1:1-Et₂0:hexanes followed by hexanes to give title

compound (1.995 gm) which was diastereomerically enriched in one isomer but not diastereomerically pure ([a]D = -17.0° (c 0.6, CH₂Cl₂)).

5 mp 110-114°C

Material suitable for x-ray crystallographic analysis was obtained by repeated recrystallization of the solid from CH_3CN . mp 117-119°C;

10 (
$$[\alpha]_D = -19.7^{\circ}$$
 (c 0.4, CH₂Cl₂)).

H₂N CO₂Et

15 B(1).

To a stirred solution of L-(+)-hydroxynor-leucine (75 g, 509.6 mmole) and sodium carbonate

(54 g, 509.6 mmole) in water (900 ml) at room temperature under argon was treated with N-ethoxy-carbonyl-phthalimide (111.7 g, 509.6 mmole). After being stirred for 2.0 hours, the resulting solution was filtered through a pad of celite. The filtrate


was cooled in an ice bath and carefully acidified to pH=3 with 6N HCl solution. The white solid which had precipitated was filtered and dried over P2O5 in vacuo to afford Compound 1 (124.5 g) in 88.1% yield.

M.P. 162°C

30

 H^{1} -NMR (DMSO): d = 1.32 (m, 6H), 2.13 (m, 2H), 4.38 (s, OH), 5.75 (m, 1H), 7.92 (m, 4H) ppm

B(2).




To a stirred slurry of Part B(1) compound (124.5 g, 0.449 mole) and cesium carbonate (73.2 g, 0.225 mole) in DMF (1.25 L) at room temperature under argon was added benzyl bromide (98.4 g, 0.575 mole). After 2.5 hours, the resulting solution was poured into EtOAc (3.0 L), washed with water (3X), 5% LiCl solution and brine, dried over anhydrous Mg₂SO₄ and evaporated in vacuo to afford title compound (142 g) as an oil in 86.1% yield.

15 H^1 -NMR (CDCl₃): d = 1.50 (m, 4H), 2.32 (m, 2H), 3.62 (m, 2H), 4.91 (dd, 1H), 5.22 (d, 2H), 7.31 (m, 5H), 7.77 (m, 2H), 7.86 (m, 2H) ppm

C¹³-NMR (CDCl₃): 22.62, 28.46, 31.91, 52.32, 20 62.32, 67.46, 123.55, 128.06, 128.31, 128.53, 131.77, 134.23, 135.28, 167.76, 169.25 ppm

B(3).



25

30

To a stirred and chilled (-78°C, Dry ice-IPA bath) oxalyl chloride solution (2.0 M solution in CH₂Cl₂, 16.3 ml, 32.6 mmole) under argon was added dropwise a solution of dimethyl sulfoxide (4.64 ml, 65.32 mmole) in dry CH₂Cl₂ (10 ml). After the addition was complete, the solution was


stirred at -78° for 15 minutes, then treated with a solution of Part B(2) compound (10g, 27.22 mmole) in dry CH₂Cl₂ (70 ml), stirred at -78° for another 15 minutes and slowly treated with triethylamine (16 ml). The resulting solution was stirred at -78° for 15 minutes, gradually warmed up to 0°, poured into 1:1 EtOAc-Et₂O (500 ml), washed with 1.0 N HCl solution, water and brine, dried over anhydrous Mg₂SO₄ and evaporated in vacuo to afford title compound (10 g) as a light yellow oil in 100% yield.

 H^{1} -NMR (CDCl₃): d = 1.66 (m, 2H), 2.40 (m, 4H), 4.90 (dd, 1H), 5.18 (d, 2H), 7.35 (m, 5H), 7.74 (m, 2H), 7.86 (m, 2H), 9.72 (s, 1H) ppm

C¹³-NMR (CDCl₃): 18.66, 27.99, 42.87, 51.83, 67.47, 123.50, 128.00,128.26, 128.44, 131.58, 134.21, 135.04, 167.55, 168.80, 201.31 ppm

20

B(4).



A stirred and chilled (0°C, ice bath)

25 solution of Part B(3) compound (10.1 g, 27.64 mmole) in dry CH₂Cl₂ (100 ml) under argon was treated with a solution of trimethylaluminum (2.0 M solution in hexane, 23.4 ml, 46.8 mmole). The resulting solution was stirred for 45 minutes, quenched with 100 ml of a saturated NH₄Cl solution (foaming) and partitioned between 1:1 Et₂O-water (400 ml). The organic layer was separated and the aqueous layer was re-extracted with EtOAc (2x150 ml). The organic extracts were combined, washed

with brine, dried over anhydrous Mg₂SO₄ and evaporated in vacuo to afford title compound (10.3 g) as a gum in 98.7% yield.

5 TLC: Silica gel, 6:4 EtOAc-hexane, Rf = 0.42, UV and PMA.


 H^{1} -NMR (CDCl₃): d = 1.12 (d, 3H), 1.43 (m, 4H), 3.73 (m, 2H), 4.90 (dd, 1H), 5.19 (d, 2H), 7.30 (m, 5H), 7.76 (m, 2H), 7.86 (m, 2H) ppm

C¹³-NMR (CDCl₃): 22.5, 23.40, 28.47, 28.59, 38.20, 38.34, 52.20.67.35, 67.51, 123.43, 127.94, 128.19, 128.41, 131.65, 134.11, 135.16, 167.62, 167.67,

15 169.13 ppm

10

B(5).



20 To a stirred and chilled (-78°C, Dry ice-IPA bath) oxalyl chloride solution (2.0 M solution in CH₂Cl₂, 257.3 ml, 514.6 mmole) under argon was added CH2Cl2 (300ml). To this solution, a solution of dimethyl sulfoxide (80.4 g, 1.03 mole) in dry 25 CH₂Cl₂ (30 ml) was added dropwise. After the addition was complete, the reaction mixture was stirred at -78° for 20 minutes, treated with a solution of Part B(4) compound (151 g, 395.88 mmole) in dry CH2Cl2 (700 ml), stirred at -78°C for another 20 minutes and slowly treated with triethylamine (300 ml). The resulting solution was stirred at -78° for 15 minutes, gradually warmed up to 0°, poured into 1:1 EtOAc-Et₂O (3 L), washed with 1.0 N HCl solution, water and brine, dried 35 over anhydrous Mg2SO4 and evaporated in vacuo to

afford title compound (149.4 g) as a yellow oil in 99.5% yield.


TLC: Silica gel, 6:4 EtOAc-hexane, $R_f=0.5$, UV and 5 PMA.

 H^{1} -NMR (CDCl₃): d = 1.60 (m, 2H), 2.10 (s, 3H), 2.26 (m, 2H), 2.47 (m, 2H), 4.90 (dd, 1H), 5.19 (d, 2H), 7.30 (m, 5H), 7.74 (m, 2H), 7.84 (m, 2H) ppm

B(6).

10

15



A chilled (-78°C, Dry ice-IPA Bath) and 20 stirred solution of titanium(IV) chloride (112.05 g, 590.65 mmole) in CH_2Cl_2 (1.5 L) under argon was treated with methylmagnesium chloride (3 M solution in THF, 196.9 ml, 590.65 mmole). The black solution was allowed to warm up to -35°C and a 25 solution of Part B(5) compound (149.4g, 393.77 mmole) was added dropwise. After the addition was complete, the resulting solution was allowed to warm up to 0°C, stirred at 0°C for 2 hours and quenched with saturated NH₄Cl solution. The CH₂Cl₂ 30 layer was separated. The aqueous layer was extracted with CH₂Cl₂ (2x700 ml). The CH₂Cl₂ extracts were combined, washed with brine, dried over anhydrous Mg₂SO₄ and evaporated in vacuo. The black residue was passed through a pad of silica

gel (E. Merck, 230-400 mesh, 900 g) eluting with EtOAc-hexane (1:1) to afford a tlc-homogeneous title compound (144.8 g) as a yellow oil in 93% in yield.


5

TLC: Silica gel, 1:1 EtOAc-hexane, $R_f=0.4$, UV and PMA.

 H^1 -NMR (CDCl₃): d=1.14 (s, 6H), 1.45 (m, 4H), 2.30 (m, 2H), 4.90 (dd, 1H), 5.19 (d, 2H), 7.30 (m, 5H), 7.74 (m, 2H), 7.86 (m, 2H) ppm

C¹³-NMR (CDCl₃): 20.88, 29.00, 29.17, 42.78, 52.13, 67.35, 70.47, 123.44,127.95, 128.19, 128.41, 131.66, 134.11, 167.66, 169.14 ppm

B(7).




A stirred solution of Part B(6) compound 20 '(44.3 g, 364.89 mmole) and azidotrimethylsilane (63.06 g, 547.34 mmole) in dry CH₂Cl₂ (2.2 L) at room temperature under argon was treated with boron trifluoride diethyl etherate (67.32 g, 474.36 25 mmole). After being stirred for 5 days, the resulting solution was quenched with water (1.5 L). The organic layer was separated, washed with saturated NaHCO3 solution, water and brine, dried over anhydrous Mg₂SO₄ and evaporated in vacuo. 30 residue was chromatographed on a column of silica gel (E. Merck, 230-400 mesh, 700 g) eluting with EtOAc-hexane (1:3) to afford a tlc-homogeneous title compound (124.9 g) as a light yellow oil in 81.3% yield.

TLC: Silica gel, 3:7 EtOAc-hexane, Rf=0.5, UV and PMA.

5 H¹-NMR (CDCl₃): d=1.20 (s, 6H), 1.45 (m, 4H), 2.30 (m, 2H), 4.90 (dd, 1H), 5.19 (d, 2H), 7.30 (m, 5H), 7.74 (m, 2H), 7.86 (m, 2H) ppm

C¹³-NMR (CDCl₃): 20.97, 25.67, 25.92, 28.80, 10 40.53, 52.02, 61.16, 67.40, 123.47, 127.97, 128.23, 128.43, 131.66, 134.14, 135.12, 167.60, 169.01 ppm

B(8).



15

A solution of Part B(7) compound (124.8 g, 296.81 mmole) and 10% Pd/C (32g) in dry DMF (2.0 L) was hydrogenated for 24 hours. After completion, argon was bubbled through the reaction mixture to remove excess hydrogen and methyl sulfide (2.6 ml) was added to poison the palladium. To this solution 1-hydroxybenzotriazole hydrate (46.74 g) was added and followed by ethyl-3(3-dimethylamino)-propylcarbodiimide hydrochloride salt (68.74 g).

The resulting solution was stirred at room temperature under argon for 3.5 hours, diluted with EtOAc (2 L) and filtered through a pad of celite.

The filtrate was washed with 0.5 N HCl solution, saturated NaHCO₃ solution, and brine, dried over anhydrous Mg₂SO₄ and evaporated in vacuo to give a gum. This was triturated with Et₂O-hexane (2:1) to afford a tlc-homogeneous title compound (74.5 g) as a white solid in 87.7% yield.

35 TLC: Silica gel, 3:7 EtOAc-CH₂Cl₂, R_f=0.35, UV and PMA.

 H^{1} -NMR (CDC1₃): d=1.30 (s, 3H), 1.45 (s, 3H), 1.74 (m, 2H), 1.96 (m, 3H), 2.74 (m, 1H), 4.98 (d, 1H), 6.00 (s, 1H), 7.20 (m, 2H), 7.85 (m, 2H) ppm


5

20

25

C¹³-NMR (CDCl₃): 23.89, 26.65, 29.58, 33.32, 40.68, 52.69, 54.51, 123.34, 123.15, 133.87, 168.06, 171.03 ppm

10 B(9).



A stirred solution of Part B(8) compound (74.5 g, 260.19 mmole) in a mixture of CH₃OH (900 lb ml) and CH₂Cl₂ (250 ml) at room temperature under argon was treated with hydrazine monohydrate (18.24 g, 364.26 mmole). After 48 hours, the solid was filtered off and the filtrate was evaporated in vacuo to give a solid (41 g).

To a stirred solution of the above solid (41 g) in CH₂Cl₂ (2 L) at room temperature under argon was added triethylamine (50 ml) and triphenylmethyl chloride (83.41 g). After 1.5 hours, the resulting slurry was diluted with EtOAc, washed with water and brine, dried over anhydrous Mg₂SO₄ and evaporated in vacuo to give a gum. This was triturated with Et₂O-pentane to give title compound (100.1 g) as a white solid in 96.5% yield.

30 TLC: Silica gel, 6:4 EtOAc-hexane, Rf=0.53, UV and PMA.

 H^{1} -NMR (CDCl₃): d=1.00 (s, 3H), 1.10 (s, 3H), 1.46 (m, 6H), 3.36 (m, 1H), 4.03 (m, 1H), 5.20 (d, 1H), 6.00 (s, 1H), 7.20 (m, 2H), 7.85 (m, 2H) ppm

PCT/US97/05744

C¹³-NMR (CDCl₃): 22.86, 25.81, 33.50, 34.23, 40.16, 51.97, 55.60, 71.89, 126.22, 127.61, 128.96, 146.48, 176.71 ppm

5

B(10).

To a stirred solution of Part B(9) compound 10 (50 g, 125 mmole) in dry THF (1020 ml) at room temperature under argon was added simultaneously (at same rate) a solution of lithium bis(trimethylsily)amide (1.0 M solution in THF, 627.3 ml, 627.3 mmole) and a solution of ethyl 15 bromoacetate (104.8 g, 627.3 mmole) in THF (523 ml) over the period of 1.0 hour. After the addition was complete, the solution was stirred for 30 hours, quenched with saturated NH4Cl solution (1.0 liter) and extracted with EtOAc (3x700 ml). 20 EtOAc extracts were combined, washed with saturated NaHCO3 solution and brine, dried over anhydrous Mg₂SO₄ and evaporated in vacuo to afford a black oil. The experiment was repeated on the same scale to give a similar result. The combined black oils 25 was chromatographed on a column of silica gel (E. Merck, 230-400 mesh, 1.6 kg) eluting with EtOAchexane (1:4) to give a light yellow oil. This was dissolved in dry CH2Cl2 (2 L) and treated with trifluoroacetic acid (78 ml). The solution was 30 stirred at room temperature under argon for 1.0 hour and then evaporated in vacuo at 30°. The residue was diluted with 1.0 N HCl solution (400 ml) and washed with Et_2O (2x400 ml). The aqueous was carefully neutralized to pH=7-8 with solid 35 NaHCO3 (foaming) and extracted with CH2Cl2 (3x1.2

L). The CH_2Cl_2 extracts were combined, dried over anhydrous Na_2SO_4 and evaporated in vacuo to afford a tlc homogeneous title compound (51.5 g) as a light brown oil in 84.7% yield.

5

TLC: Silica gel, 8:1:1 CH₂Cl₂-CH₃OH-AcOH, R_f=0.3, PMA and Ninhydrin.

 H^{1} -NMR (CDCl₃): d=1.28 (t, 3H), 1.36 (s, 3H), 1.38 10 (s, 3H) 1.60 (m, 1H), 1.90 (m, 5H), 3.75 (m, 1H), 4.00 (d, 1H), 4.22 (q, 2H), 4.28 (d, 2H) ppm

C¹³-NMR (CDCl₃): 14.00, 20.06, 28.19, 30.07, 32.29, 39.98, 46.87, 53.20, 58.38, 60.73, 170.35, 177,06 ppm

C.

20

25

30

15

Part A compound (641 mg, 1.42 mmol) was partitioned between EtOAc and 5% KH₂PO₄ (adjusted to pH 2.5 with H₃PO₄). The layers were separated and the aqueous layer was back-extracted with EtOAc. The pooled EtOAc extracts were washed with brine, dried (Na₂SO₄), filtered and stripped to give an oil (assume 1.42 mg). The oil was dissolved in CH₂Cl₂ (10 mL) and the resulting solution was treated with Part B amine (364 mg, 1.50 mmol) in CH₂Cl₂ (2 mL) and cooled to 0°C. The mixture was subsequently treated with HOBT hydrate (195 mg) followed by EDAC (285 mg, 1.48 mmol). After stirring at 0°C for 45 minutes and at room temperature for 45 minutes, the mixture was

PCT/US97/05744

WO 97/38705

partitioned between EtOAc and 5% KH₂PO₄ (adjusted to pH 2.5 with H₃PO₄). The EtOAc extract was washed successively with H₂O, 50% saturated NaHCO₃ and brine, then dried (Na₂SO₄), filtered and stripped. The residue was flash chromatographed (Merck SiO₂, 7/3-EtOAc/hexanes as eluant) to obtain title compound (427 mg, 59%, TLC R_f 0.37 (8/2-EtOAc/hexanes)) as a diastereomerically pure compound. In addition, the minor diastereomer was isolated from the column (66 mg, 9%, TLC R_f 0.27 (8/2-EtOAc/hexanes)). NMR of this material was consistant with an isomer of the title compound.

D.

15

20

25

10

Acetic anhydride (500 µL) was added to formic acid (5.0 mL) at 0°C and the mixture was stirred for 30 minutes. Approximately 2.6 mL of this solution was added to a solution of Part C compound (208 mg, 0.413 mmol) in THF (1.1 mL) at 0°C. After 30 minutes, most of the solvent was removed by rotary evaporation and the residue was partitioned between EtOAc and saturated NaHCO₃. The EtOAc extract was washed with brine, dried (Na₂SO₄), filtered and stripped to give title compound (216 mg, 97%) as an oily foam which was used directly in the next reaction without futher purification.

30

TLC Rf 0.37 (EtOAc)

HPLC YMC S3 ODS column (6.0 x 150 mm); eluted with B:A solvent mixture, 40 to 100% B over a 20 minute

linear gradient (solvent A: $90\%H_2O-10\%$ MeOH-0.2% H_3PO_4 ; solvent B:0% $H_2O-90\%$ MeOH-0.2% H_3PO_4); flow rate 1.5 mL/min detecting at 220 nm; t_R = 17.2 min (100%).

5

HO N HO CO2Et


A solution of Part D compound (216 mg, 0.402 mmol) in absolute EtOH (5 mL) was hydrogenated (balloon) over 10% Pd/C (33 mg) at room temperature for 2 hours. The mixture was filtered through Celite, stripped, and azeotroped twice with EtOAc/Et₂O/hexanes to give title compound (174 mg, 97%) as an off-white foam.

TLC R_f 0.33 (5/95-HOAc/EtOAc)

HPLC YMC S3 ODS column (6.0 x 150 mm); eluted with B:A solvent mixture, 40 to 100% B over a 20 minute linear gradient (solvent A: $90\%H_2O-10\%$ MeOH-0.2% H_3PO_4 ; solvent B:0% $H_2O-90\%$ MeOH-0.2% H_3PO_4); flow rate 1.5 mL/min detecting at 220 nm; t_R = 12.8 min (100%).

25

F.



A stirred solution of Part E compound (168 mg, 0.376 mmol) in MeOH (3 mL) at room temperature was treated with aqueous 1 N NaOH (3 mL). An additional portion of aqueous 1 N NaOH (3 mL) was 5 added after 3.5 hours. After a total of 6 hours, the mixture was made acidic with 5% KHSO4 and extracted twice with EtOAc. The EtOAc extract was washed with brine, dried (Na₂SO₄), filtered and stripped. The residue was dissolved in a small amount of MeOH and EtOAc and triturated with Et₂O/hexanes to give title compound (134 mg, 86%) as an off-white solid/foam ([a]p = +18.0° (c 0.5, CH₂Cl₂)).

15 TLC Rf 0.10 (5/95-HOAc/EtOAc)
 HPLC YMC S3 ODS column (6.0 x 150 mm); eluted with
 B:A solvent mixture, 40 to 100% B over a 20 minute
 linear gradient (solvent A: 90%H₂O-10% MeOH-0.2%
 H₃PO₄; solvent B:0% H₂O-90% MeOH-0.2% H₃PO₄); flow
20 rate 1.5 mL/min detecting at 220 nm; t_R = 9.00
 min (>97.4%).

Anal. Calc'd for $C_{21}H_{29}N_3O_6 \cdot 0.75H_2O \cdot 0.3Et_2O$ C, 58.57; H, 7.42; N, 9.23

25 Found C, 58.31; H, 7.20; N, 8.99.

30

Example 4

[S-(R*,R*)]-3-[[3-(Formylhydroxyamino)-1-oxo-2(phenylmethyl)propyl]amino]-2,3,4,5-tetrahydro-2oxo-lH-benzazepine-1-acetic acid

Α.

A(1).

5

10

20

25

30

Solid sodium azide (26.0 g., 0.2 mole) was introduced into a 3-neck round-bottom flask with an overhead stirrer, made into a paste with warm water (26 ml), layered with chloroform (160 ml) and cooled down to 0° (ice-salt bath). The mixture was treated dropwise with concentrated sulfuric acid (11.2 ml, 0.5 eq.) over a period of 10 minutes, stirred for an additional 10 minutes then decanted into a flask containing anhydrous sodium sulfate. The dried solution was filtered through a glass wool plug in a funnel into a 500-ml round-bottom flask. Titration of an aliquot (1.0 ml) with 1.0 Now NaOH using phenolphthalein as an indicator gave a normalitity of 1.7 No for the hydrazoic acid.

Tetralone (15.94 g, 0.108 mole) was added to the hydrazoic acid solution (0.136 mole or 1.25 eq.), heated to 40-45° (oil bath) then treated dropwise with 36.0 N H2SO4 (28.7 ml, 5 eq.) over a period of 1.0 hour. (Intense bubbling took place with each drop added for the first 30 minutes). The reaction mixture was cooled down to room temperature, poured into H2O (720 ml) and stirred for 5 minutes. The solution was then extracted with EtOAc (3 x 250 ml) and the combined organic extracts were washed with brine (100 ml), dried (anhydrous MgSO4), filtered, evaporated to dryness and dried in vacuo. The crude product (17.819 g)

was recrystallized from CH_2Cl_2 (70 ml) and Hexane (400 ml) to give title compound as off-white precipitates (10.017 g, m. pt. 138-140°C) with consistent 1H -NMR and ^{13}C -NMR spectral data.

The mother liquor was chromatographed on a silica gel column (Merck, 240 g), eluting the column with EtOAc:Hexane (1:4) to give an additional amount of 5.058 g (total yield= 15.075 g, 85.6 %).

10 TLC: Rf 0.37 (Silica gel; EtOAc:Hexane-1:1; UV).

A(2).

5

15 A solution of Part A(1) compound (1.0 g, 6.20 mmoles) in dry CHCl3 (15 ml) was cooled down to 0°C (ice-salt bath), treated with PCl5 (1.5 g, 7.20 mmoles) followed by I2 (15 mg) then stirred at 0°C under argon for 30 minutes. The yellow 20 solution was treated with Br2 (0.39 ml or 1.2 g, 7.51 mmoles), warmed up to room temperature and refluxed under argon for 4.0 hours. The mixture was then poured into ice-water (20 g), stirred and the phases were separated, washing the aqueous 25 phase with CHCl3 (25 ml). The combined organic extracts were washed with H2O (5.0 ml), dried (anhydrous MgSO₄), filtered, evaporated to dryness and dried in vacuo. The crude product mixture was chromatographed on a silica gel column (Merck, 70 g), eluting the column with EtOAc: Hexane (1:9) to 30 give title compound as off-white precipitates (1.137 g., m.pt. 170-172°, 70.1 %) with consistent ¹H-NMR and ¹³C-NMR spectral data. TLC: Rf 0.13 (Silica gel; EtOAc:Hexane -1:4; UV).

35

A(3).

$$\bigcap_{\stackrel{i}{H}} N_3$$

A solution of Part A(2) compound (936 mg, 3.9 mmoles) and NaN3 (300 mg, 4.6 mmoles) in dry 5 dimethylsulfoxide (20 ml) was stirred at 60° (oil bath) under argon for 6.0 hours. The reaction mixture was cooled down to room temperature, poured into cold water (125 ml), stirred for 15 minutes and filtered, washing the solids formed with water. 10 The crude product was dried in vacuo at 60° over drierite for 24 hours to give title compound (725 mg, m.pt. 150-152°, 91.9 %) as an off-white solid with consistent ¹H-NMR and ¹³C-NMR spectral data. TLC: Rf 0.58 (Silica gel; EtOAc:Hexane- 1:4 then 15 1:1; UV).

A(4).

20

25

30

A solution of Part A(3) compound (10.858 g, 53.7 mmoles) in dry tetrahydrofuran (100 ml) was treated with Bu4NBr (1.791 g, 5.56 mmoles) and powdered KOH (3.937 g, 70.2 mmoles) followed by ethyl bromoacetate (6.8 ml, 61.3 mmoles). The reaction mixture was stirred at room temperature under argon for 1.5 hours then partitioned between H2O (196 ml) and CH2Cl2 (2 x 375 ml). The combined organic extracts were washed with H2O (2 x 196 ml) and brine (100 ml), dried (anhydrous Na2SO4), filtered, evaporated to dryness and dried in vacuo. The crude product was combined with the crude product mixture from a previous run (2.936 g, 12.86

mmole scale) and chromatographed on a silica gel column (Merck), eluting the column with Toluene:EtOAc (98.2) and EtOAc:Hexane (1:9) to give title compound as a solid (15.48 g, 93.5%) with consistent ¹H-NMR and ¹³C-NMR spectral data. TLC: Rf 0.63 (Silica gel; EtOAc:Hexane- 1:2; UV).

A(5).

10

15

20

A solution of Part A(4) compound (8.95 g, 31.0 mmoles) in absolute ethanol (50 ml) was treated with 10% Pd/C (443 mg) and hydrogenated at 45 psi for 3.5 hours, venting the Parr bottle every 30 minutes for the first 1.5 hours. The mixture was filtered through a Celite® pad in a millipore unit, washing the pad well with absolute ethanol (3 x 50 ml). The clear filtrate was evaporated to dryness and dried in vacuo to give title compound as a thick yellow syrup (7.929 g, 97.5%) with consistent ¹H-NMR and ¹³C-NMR spectral data. TLC: Rf 0.45 (Silica gel; CH₂Cl₂:CH₃OH- 9:1; UV).

A(6).

$$H_2N$$
 N
 $COOC_2H_5$

25

30

A solution of Part A(5) compound (14.8 g, 56.4 mmoles) and L-tartaric acid (8.50 g) in hot absolute ethanol (118 ml) was kept overnight at 0°, at room temperature for 3 days and then at 0° for another 2 days. The solid that formed was recrystallized from absolute ethanol (118 ml) two

more times until a consistent specific rotation was obtained. The precipitates (6.319 g) from the second recrystallization was then suspended in EtOAc (100 ml), treated with 10% NH4OH (12 ml) and 5 stirred for 5 minutes. The organic phase was separated, washed with 10% NH4OH (10 ml) and brine (15 ml), dried (anhydrous Na₂SO₄), filtered, evaporated to dryness and dried in vacuo to give title compound as a white solid (3.927 g, m.pt. 105-107°, 26.5%) with consistent ¹H-NMR and ¹³C-NMR spectral data.

 $[a]_D = -277^{\circ}$ (c 0.99, EtOH). TLC : R_f 0.45 (Silica gel; CH₂Cl₂:CH₃OH- 9:1; UV).

15 B.

20

25

30

Example 3 Part A ephedrine salt (414 mg, 0.93 mmole), was partitioned between 5 % KH2PO4 (adjusted to pH 2.5; 4.0 ml) and EtOAc (2 x 20 ml) and the combined organic extracts were washed with brine (4.0 ml), dried (anhydrous Na2SO4), filtered, evaporated to dryness and dried *in vacuo* to give the free acid of the Example 4 Part A compound as a clear syrup (286.6 mg, 100 % crude yield).

A solution of the above free acid (286.6 mg, 0.93 mmole) in dry CH2Cl2 (6.0 ml) was cooled to 0°C (ice-salt bath) and treated sequentially with a solution of the above free amine (271 mg) in dry CH2Cl2, HOBT•H2O (126.1 mg, 0.93 mmole) and EDAC (185.4 mg, 0.97 mmole). The reaction mixture was stirred at 0°C for 1.0 hour, at room

PCT/US97/05744 WO 97/38705

temperature for 2.0 hours, then partitioned between EtOAc (2 x 20 ml) and H_{20} (4.0 ml). The organic extracts were washed with 5% KH2PO4 (adjusted to pH 2.5; 4.0 ml), H2O (4.0 ml), saturated NaHCO3 (4.0 5 ml) and brine (4.0 ml), dried (anhydrous Na2SO4), filtered, evaporated to dryness and dried in vacuo. The crude product was chromatographed on a silica gel column (Merck, 70 g.), eluting the column with EtOAc: Hexane mixtures (1:3; 1:1) to give pure title 10 compound (202 mg) and impure product. A second chromatography gave title compound as a syrup (total of 292.1 mg, 59.3%) with consistent 1 H-NMR and ¹³C-NMR spectral data. TLC: Rf 0.32 (Silica gel; 15

EtOAc:Hexane -1:1; UV).

c.

20 A cooled solution of HCOOH (5.0 ml) was treated with acetic anhydride (Ac2O) (0.5 ml) and stirred at 0°C for 30 minutes. A solution of Part B compound (288 mg, 0.54 mmole) in dry THF (1.5 ml) was cooled to 0°C (ice-salt bath), treated with the 25 above Ac20/HCOOH mixture (3.4 ml) and stirred at 0°C for 1.0 hour. The reaction mixture was evaporated to dryness and the residual syrup was dissolved in EtOAc (40 ml), washed with saturated NaHCO3 (5.0 ml) and brine (5.0 ml), dried 30 (anhydrous Na₂SO₄), filtered, evaporated to dryness, evaporated from toluene and dried in vacuo to give title compound as a syrup (311.3 mg, 100 %

crude) with consistent $^{1}\text{H-NMR}$ and $^{13}\text{C-NMR}$ spectral data. TLC: Rf 0.18 (Silica gel; EtOAc:Hexane (1:1; UV).

5 D.

A solution of Part C compound (311 mg) in CH3OH (10 ml) was treated with 10% Pd/C (53 mg) and 10 hydrogenated (balloon) at room temperature for 2.0 hours. The reaction mixture was diluted with CH3OH (10 ml) and filtered through a Celite® pad in a millipore unit, washing the pad well with CH3OH (3 x 10 ml). The clear filtrate was evaporated to dryness and dried in vacuo to give title compound as a syrup (256.7 mg, 100% crude) with consistent 1H-NMR and 13C-NMR data. TLC: Rf 0.25 (Silica gel; CH2Cl2:MeOH- 9:1; UV).

20 E. [S-(R*,R*)]-3-[[3-(Formylhydroxyamino)l-oxo-2-(phenylmethyl)propyl]amino]2,3,4,5-tetrahydro-2-oxo-lH-benzazepine-lacetic acid

A solution of Part D compound (256.7 mg) in 25 CH3OH (3.5 ml) was treated with 1.0 N NaOH (2.17 ml, 4 eq) and stirred at room temperature for 1.0 hour under argon. The reaction mixture was brought to pH 1.0 with 5% KHSO4 (9.45 ml), extracted with EtOAc (40 ml) and the organic extract washed with brine (5.0 ml), dried (anhydrous Na2SO4), filtered, evaporated to dryness and dried in vacuo. The crude product was triturated with CH2Cl2:Hexane

(1:4-25 ml) and hexane (20 ml) then dried in vacuo to give title compound as an amorphous off-white solid (215.6 mg, 90.4%) with consistent MS, IR, 1 H-NMR and analytical data. TLC: Rf 0.30 (Silica gel; EtOAc:HOAc- 95:5; UV).

 $[\alpha]_D = -332.8^{\circ} \ (\underline{c} \ 0.558, \ CH_3OH)$ HPLC: $t_R = 5.21 \ min \ (95.8 \ R \ isomer); \ t_R = 9.58 \ min \ (3.59 \ S \ isomer); \ YMC S3 ODS-A 150 x 6 mm; 220 nm, 10 flow rate = 1.5 ml/min; 56% (10% H₂O- 90% CH₃OH- 0.2% H₃PO₄)/44% (90% H₂O- 10% CH₃OH-0.2% H₃PO₄), isocratic.$

Anal. Calc'd for $C_{23}H_{25}N_3O_6$: C, 62.86; H, 5.73; N, 9.56

Found: C, 62.88; H, 5.98; N, 9.20.

20

15

5

Α.

A solution of L-hydroxynorleucine (2.0 g, 13.6 mmoles) in dry methanol (70 ml) was saturated with HCl gas until a clear yellow solution was obtained. The reaction mixture was cooled to room temperature, stirred for 2.0 hours, evaporated to

PCT/US97/05744 WO 97/38705

dryness, evaporating the syrup once from toluene (100 ml) then evaporated in vacuo to give the ester as a yellow oil. The crude ester was dissolved in dry CH2Cl2 (50 ml) and dry DMF (15 ml), treated 5 with NMM (2.5 ml, 22.7 mmoles) and cooled to 0°C (ice-salt bath). The mixture was treated with Nphthaloyl-L-phenylalanine (4.0 g, 13.6 mmoles). $HOBt \cdot H_2O$ (1.89 g, 13.99 mmoles) and EDAC (2.87 g, 14.98 mmoles), stirred at 0°C for 25 minutes and at room temperature for 2.0 hours.

The reaction mixture was partitioned between EtOAc (2 x 200 ml) and H2O (60 ml) and the combined organic extracts were washed sequentially with 0.5 \underline{N} HCl (60 ml), H₂O (60 ml), 1/2 saturated NaHCO3 (60 ml) and brine (60 ml), dried (anhydrous Na₂SO₄), filtered, evaporated to dryness and dried in vacuo. The crude product mixture was chromatographed on a silica gel column (Merck, 200 g), eluting the column with EtOAc to give the desired product as a syrup (4.0 g). An additional 321 mg was obtained on re-chromatography of the impure fractions to give title compound (4.32 g, 73%) with consistent ¹H-NMR and ¹³C-NMR spectral

25 TLC: Rf 0.43 (Silica gel; EtOAc; UV).

В.

10

20

30 A solution of oxalyl chloride (1.02 ml,11.7 mmoles) in dry CH2Cl2 (56 ml), was cooled to -78°C (dry-ice-acetone bath), treated with a solution of dry DMSO (1.67 ml, 21.6 mmoles) in CH2Cl2 (2.0 ml)

and stirred at -78°C for 20 minutes. The mixture was treated with a solution of Part A compound (4.29 g, 9.78 mmoles) in dry CH₂Cl₂ (22 ml), stirred at -78°C for another 15 minutes, then

5 treated with triethyl-amine (8.4 ml). The reaction mixture was stirred at -78°C for 5.0 minutes, allowed to come to room temperature over a period of 45 minutes, then partitioned between EtOAc (200 ml) and 0.5 N HCl (2 x 20 ml). The organic phase was washed with brine (40 ml), dried (anhydrous Na₂SO₄), filtered, evaporated to dryness and dried in vacuo to give title compound as a thick syrup (4.428 g, 100% crude yield), with consistent ¹H-NMR and ¹³C-NMR spectral data.

15 TLC: Rf 0.73 (Silica gel; EtOAc; UV).

c.

20 A mixture of Part B compound (4.428 g, 9.78 mmoles) and TFA (0.20 ml, 2.6 mmoles) in dry CH2Cl2 (62 ml) was refluxed under argon for 2.0 hours. The reaction mixture was cooled to room temperature, washed with 1/2 saturated NaHCO3 (20 25 ml) and brine (20 ml), dried (anhydrous Na₂SO₄), filtered, evaporated to dryness and dried in vacuo. The crude product mixture was chromatographed on a silica gel column (Merck, 200 g), eluting the column with CH2Cl2:EtOAc (9:1) to give the desired 30 product as a syrup. The syrup was triturated with Et₂0:Hexane (2:1-60 ml) to give title compound as a white precipitate (2.92 g, 72%; m.p. 141-143°C) with consistent $^{1}\text{H-NMR}$ and $^{13}\text{C-NMR}$ spectral data.

TLC: Rf 0.67 (Silica gel; CH2Cl2:EtOAc-9:1; UV).

D.

5

10

15

20

A solution of Part C compound (2.923 g, 6.99 mmoles) in dry CH2Cl2 (14 ml) was treated with triflic acid (4.15 ml, 6.7 eq) and the resulting yellow solution was stirred at room temperature for 20 hours. The reaction mixture was then poured into ice-water (100 ml), extracted with EtOAc (3 \times 100 ml) and the combined organic extracts washed with $H_{2}O$ (2 x 25 ml) and brine (25 ml), dried (anhydrous Na₂SO₄), filtered, evaporated to dryness and dried in vacuo. The crude product mixture was chromatographed on a silica gel column (Merck), eluting the column with EtOAc: Hexane mixtures (1:1; 2:1) and EtOAc:HOAc (100:1). The desired fractions were combined, evaporated to dryness and dried in vacuo to give impure title compound as a solid foam (1.238 g, 42%) with consistent $^{1}\mathrm{H-NMR}$ and $^{13}\mathrm{C-}$ NMR spectral data. TLC: Rf 0.73 (Silica gel; EtOAc:HOAc-95:5; UV).

25

Ε.

A solution of Part D compound (1.238 g, 3.06 mmoles) in dry DMF (3.5 ml) was treated

mmoles) and Cs₂CO₃ (450 mg, 1.38 mmoles) then stirred at room temperature for 3.0 hours. The mixture was diluted with EtOAc (50 ml), washed with H₂O (5.0 ml), 0.5 N HCl (5.0 ml) and brine (5.0 ml), dried (anhydrous Na₂SO₄), filtered, evaporated to dryness and dried in vacuo. The crude product (1.63 g) was chromatographed on a silica gel column (Merck), eluting the column with EtOAc:Hexane (1:3) to give title compound as a syrup (586.4 mg, 39%) with consistent ¹H-NMR and ¹³C-NMR spectral data. TLC: Rf 0.45 (Silica gel; EtOAc:Hexane-1:1; UV).

F.

H₂N O COOBn

15

20

25

30

10

A solution of Part E compound (586 mg, 1.18 mmoles) in dry methanol (15 ml) was treated with NH2NH2·H2O (66 μl, 1.2 eq) and stirred at room temperature for 48 hours. The reaction mixture was diluted with Et20 (50 ml) and filtered through a millipore unit, washing the solids well with Et20 (40 ml). The clear solution was evaporated to dryness and the solids obtained were suspended in CH2Cl2 (90 ml) and the solution filtered through a millipore unit, washing the solids well with CH2Cl2 (40 ml). The combined organic extracts were washed with brine (15 ml), dried (anhydrous Na2SO4), filtered, evaporated to dryness and dried in vacuo to give title compound as a thick syrup (351 mg, 82 with a consistent ¹H-NMR spectrum. TLC: Rf 0.42 (CH2Cl2:MeOH-9:1; UV, Ninhydrin)

PCT/US97/05744

WO 97/38705

15

20

25

G.

Example 3 Part A ephedrine salt (538 mg, 1.2 mmoles), was partitioned between 5% KH2PO4 (adjusted to pH 2.5; 5.4 ml) and EtOAc (2 x 22 ml) and the combined organic extracts were washed with brine (5.4 ml), dried (anhydrous Na2SO4), filtered, evaporated to dryness and dried in vacuo to give the free acid of the ephedrine salt as a clear syrup (323 mg, 100% crude yield).

A solution of the free acid in dry CH2Cl2 (8.0 ml) was cooled to 0°C (ice-salt bath) and treated sequentially with a solution of Part F compound (351 mg, 0.96 mmole) in dry CH2Cl2 (2.0 ml), HOBT·H2O (163 mg, 1.2 mmoles) and EDAC (240 mg, 1.25 mmoles). The reaction mixture was stirred at 0°C for 1.0 hour, at room temperature for 1.5 hours, then partitioned between EtOAc (40 ml) and H2O (5.0 ml). The organic extracts were washed with 5 % KH2PO4 (adjusted to pH 2.5; 5.0 ml), H2O (5.0 ml), saturated NaHCO3 (5.0 ml) and brine (5.0 ml), dried (anhydrous Na₂SO₄), filtered, evaporated to dryness and dried in vacuo. The crude product (810 mg) was chromato-graphed on a silica gel column (Merck), eluting the column with EtOAc: Hexane (1:3) to give pure title compound (494 mg, 65%) as a solid foam with consistent $^{1}\mathrm{H}$ -NMR and 13 C-NMR spectral data.

30 TLC: Rf 0.45 (Silica gel; EtOAc:Hexane -1:1; UV).

Η.

A cooled solution (0°C, ice-salt bath) of

5 HCOOH (5.0 ml) was treated with Ac2O (0.5 ml) and
stirred at 0°C for 30 minutes. A solution of Part
G compound (493 mg, 0.78 mmole) in dry THF (2.2 ml)
was cooled to 0°C (ice-salt bath), treated with the
above Ac2O/HCOOH mixture (4.9 ml) and stirred at

0°C for 1.5 hours. The reaction mixture was evaporated to dryness, evaporated from Et₂O (50 ml) and the residual syrup was dissolved in EtOAc (60 ml), washed with saturated NaHCO₃ (7.0 ml) and brine (7.0 ml), dried (anhydrous Na₂SO₄), filtered, evaporated to dryness, evaporated from toluene and dried in vacuo to give title compound as a syrup (558.3 mg, 100 % crude) with consistent ¹H-NMR and ¹³C-NMR spectral data.

TLC: R_f 0.2 (Silica gel; EtOAc:Hexane-1:1; UV).

10

15

20

I.

A solution of Part H compound (535 mg, 0.78 mmole) in CH3OH (15 ml) was treated with 10 % Pd/C (83 mg) and hydrogenated (balloon) at room

temperature for 4.0 hours. The reaction mixture was diluted with CH3OH (15 ml) and filtered through a celite pad in a millipore unit, washing the pad well with CH3OH (3 x 15 ml). The clear filtrate

5 was evaporated to dryness and dried in vacuo to give a syrup (354.8 mg) which was triturated with CH2Cl2:Hexane (1:5-30 ml) and hexane (25 ml) then dried in vacuo. Title compound was obtained as an off-white solid foam (348.5 mg, 90%).

10

TLC: Rf 0.38 (Silica gel; CH₂Cl₂:MeOH- 9:1; UV). MS (M+H)⁺ = 480 $[\alpha]_D = +44.6^{\circ}$ (\underline{c} 0.52, CH₃OH)

- 15 HPLC: t_R = 11.72 min (95.9%); YMC S3 ODS-A 150 x 6 mm; 220 nm, flow rate = 1.5 ml/min; 55% (10% H₂O-90% CH₃OH-0.2% H₃PO₄)/45% (90% H₂O-10% CH₃OH-0.2% H₃PO₄), isocratic.
- 20 Anal. Calc'd for C26H29N3O6.0.4 H2O.0.14 Hexane
 (Eff. Mol. Wt. = 497.08):
 C, 64.63; H, 6.83; N, 8.46
 Found: C, 64.24; H, 6.43; N, 8.12
- 25 The following are examples of additional compounds of the invention which may be prepared employing procedures set out hereinbefore and in the working Examples.

PCT/US97/05744

WO 97/38705

				R
	Example No.	<u>R</u> 1	<u>x</u>	R
	6	н	1	CH₂Ph
5	7	н	1	CH₂Ph
	8	н	1	CH ₂ CH(CH ₃) ₂
	9	н	1	CH₂Ph
	10	н	1	CH₂CH(CH₃)₂
	11	н	1	CH₂Ph
	12	н	1	CH₂Ph

10

PCT/US97/05744

WO 97/38705

5

- 56 -

What is claimed is:

1. A compound of the formula

5 including a pharmaceutically acceptable salt thereof wherein

x is 0 or 1,

10

15

20

R is H, alkyl, alkenyl, aryl- $(CH_2)_p$ -, heteroaryl- $(CH_2)_p$ -, cycloheteroalkyl- $(CH_2)_p$ -, or


R can be joined together with the carbon to which it is attached to form a 3 to 7 membered ring which may optionally be fused to a benzene ring;

 $$\rm R^1$$ is H or -COR² where R² is alkyl, aryl- (CH2)p-, cycloheteroalkyl-(CH2)p-, heteroaryl- (CH2)p-, alkoxy or cycloalkyl-(CH2)p-;

p is 0 or an integer from 1 to 8; and

A is a dipeptide derived from one or two non-proteinogenic amino acids or is a conformationally restricted dipeptide mimic.

2. The compound as defined in Claim 1 wherein A is a dipeptide derivative of the structure



wherein R^{1a}, R^{1b}, R^{2a} and R^{2b} are independently selected from H, alkyl, aryl-(CH₂)_p-, cycloalkyl, cycloheteroalkyl-(CH₂)_p-, heteroaryl-(CH₂)_p-, biphenylmethyl, or

R^{1a} and R^{1b} or R^{2a} and R^{2b} may be joined 30 together to the carbon to which it is attached to form a 3 to 7 membered ring, optionally fused to a

benzene ring; and R^{2b} refers to an optional 5 or 6 membered ring containing a single hetero atom and which may optionally include an R⁵ substituent which is H, alkyl, aryl-(CH₂)_p, cycloalkyl-(CH₂)_p, cycloheteroalkyl-(CH₂)_p or cycloheteroaryl-(CH₂)_p-;

 R^3 is H, alkyl or aryl -(CH₂)_p-;

 R^4 is OH, Oalkyl, Oaryl- $(CH_2)_p$ - or $NR_1(R_2)$ where R_1 and R_2 are independently H, alkyl, aryl, $aryl(CH_2)_p$ or heteroaryl $(CH_2)_p$;

with the proviso that in A(1) at least one of



15 is other than a natural α -amino acid.

10

- 3. The compound as defined in Claim 1 wherein A is a conformationally restricted dipeptide mimic.
- 4. The compound as defined in Claim 3wherein the conformationally restricted dipeptide mimic has the structure

25 . . . 5. The compound as defined in Claim 3 wherein A has the formula

5

$$R^{12}$$
 R^{11}
 R^{12}
 R^{11}
 R^{12}
 R^{11}
 R^{12}
 R^{11}
 R^{12}
 R^{12}
 R^{13}
 R^{14}
 R^{15}
 R^{17}
 R^{18}
 R^{17}
 R^{17}
 R^{17}
 R^{17}
 R^{19}
 R^{19}
 R^{11}
 R^{12}
 R^{12}
 R^{11}
 R^{12}
 R^{12}
 R^{11}
 R^{12}
 R^{12}
 R^{11}
 R^{12}
 R^{12}
 R^{13}
 R^{14}
 R^{15}
 R^{17}
 R

5

15

20

25

with respect to A(5), R^{11} and R^{12} are independently selected from hydrogen, alkyl, alkenyl, cycloalkyl -(CH₂)_p-, aryl -(CH₂)_p-, and heteroaryl -(CH₂)_p-, or R^{11} and R^{12} taken together with the carbon to which they are attached complete a saturated cycloalkyl ring of 3 to 7 carbons, or R^{11} and R^{12} taken together with the carbon to which they are attached complete a keto substituent,

with respect to A(13), R^8 , R^9 and R^7 are independently selected from hydrogen, alkyl, alkenyl, cycloalkyl -(CH₂)_m-, aryl-(CH₂)_m-, and heteroaryl-(CH₂)_m-;

R¹⁰ and R⁶ are independently selected from hydrogen, alkyl, alkenyl, cycloalkyl -(CH₂)p-, aryl-(CH₂)p, and heteroaryl-(CH₂)p-, or R⁶ and R¹⁰ taken together with the carbons to which they are attached complete a saturated cycloalkyl ring of 3 to 7 carbons, R⁶ and R⁸ taken together with the carbon to which they are attached complete a saturated cycloalkyl ring of 3 to 7 carbons, or R⁹ and R¹⁰ taken together with the carbon to which they are attached complete a saturated cycloalkyl ring of 3 to 7 carbons;

 R^4 is OH, Oalkyl, O-(CH₂)_p-heteroaryl,

$$O = CH-O-C-R^{15}$$
 R^{14}
 $O = CH_2$
 O

 $NR_1(R_2)$ where R_1 and R_2 are independently H, alkyl, aryl, aryl- $(CH_2)_p$ or heteroaryl;

R¹⁴ is hydrogen, alkyl, cycloalkyl, or

5 phenyl;

10

15

 R^{15} is hydrogen, alkyl, alkoxy or phenyl; R^{16} is alkyl or aryl-(CH2) $_m$ -; and


 $_{R}^{17}$ is hydrogen, alkyl, substituted alkyl, alkenyl, cycloalkyl-(CH2) $_{m}^{-}$, aryl-(CH2) $_{m}^{-}$, or heteroaryl-(CH2) $_{m}^{-}$.

 R^{18} is H or alkyl or alkenyl, and R^{18} and R^{17} may be taken together with the carbon and nitrogen to which they are attached to complete a saturated N-containing ring of 5 or 6 ring members.

 R^{19} is H or an alkyl, and in A(4), R^{19} and X (which is CH₂) together with the carbons to which they are attached may form an aromatic ring of carbons (as in A(15).

6. The compound as defined in Claim 1

20 wherein A is



where
$$Y = O$$
, S, CH_2 , $S(O)_{0,1,2}$

Heterotyle

 COR^4

where $Y = O$, S, CH_2 , $S(O)_{0,1,2}$

Z ()1.5

7. The compound as defined in Claim 6 wherein A is

10

15

5

$$R^{9}R^{10}$$
 R^{6}
 R^{8}
 R^{7}
 R^{7}

- 8. The compound as defined in Claim 1 wherein ${\bf R^1}$ is H, R is alkyl or arylalkyl, ${\bf R^4}$ is OH.
- 9. The compound as defined in Claim 2 where in A(1)

is a non-proteinogenic amino acid portion.

10. The compound as defined in Claim 9 wherein R^{1a} and R^{1b} are independently alkyl or arylalkyl, or R^{1a} and R^{1b} together with the carbon to which they are attached form a 3 to 7 membered ring; or one of R^{1a} and R^{1b} is biphenylmethylene and the other is biphenylmethylene or H.

ll. The compound as defined in Claim 9 where in A(1),



is a non-proteinogenic amino acid where R³ is H, alkyl or arylalkyl,

15

20

R^{2a} and R^{2b} are independently selected from H, alkyl, aryl or arylalkyl, with at least one of R^{2a} and R^{2b} being other than H, or R^{2a} and R^{2b} together with the carbon to which they are attached form a 3 to 7 membered ring.

- 12. A pharmaeutical composition comprising a therapeutically effective amount of a compound as defined in Claim 1 and a pharmaceutically acceptable carrier therefor.
- 13. The pharmaceutical composition as defined in Claim 12 useful in the treatment of cardiovascular diseases such as hypertension and/or congestive heart failure.
- 25

 14. A method of treating a cardivascular disease such as hypertension and/or congestive heart failure, which comprises administering to a mammalian species a therapeutically effective amount of a composition as defined in Claim 12.
- 30 15. The compound as defined in Claim 1 which is

5

10

OHC N COOH

or a pharmaceutically acceptable salt thereof.

- 64 -

INTERNATIONAL SEARCH REPORT

International application No. PCT/US97/05744

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :A61K 38/05 US CL :514/19 According to International Patent Classification (IPC) or to both national classification and IPC						
B. FIELDS SEARCHED						
Minimum documentation searched (classification system followed by classification symbols)						
U.S. : 514/19						
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched						
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)						
APS, CAS Online						
C. DOCUMENTS CONSIDERED TO BE RELEVANT						
Category* Citation of document, with indication, where a	opropriate, of the relevant passages Relevant to claim No.					
A US 4,539,150 A (KATAKAMI ET see entire document.	US 4,539,150 A (KATAKAMI ET AL) 03 September 1985, 1-15 see entire document.					
A, P US 5,552,400 A (DOLLE ET AL) entire document.	US 5,552,400 A (DOLLE ET AL) 03 September 1996, see 1-15 entire document.					
	·					
Further documents are listed in the continuation of Box C. See patent family annex.						
Special categories of cited documents: "T" later document published after the international filing date or priority						
"A" document defining the general state of the art which is not considered to be of particular relevance	date and not in conflict with the application but cited to understand the principle or theory underlying the invention					
"E" carlier document published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step					
"L" document which may throw doubts on priority claim(a) or which is cited to establish the publication date of another citation or other	when the document is taken alone					
special remon (se specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is					
"O" document referring to an oral disclosure, use, exhibition or other means	combined with one or more other such documents, such combination being obvious to a person skilled in the art					
P document published prior to the international filing date but later than the priority date claimed	*&* document member of the same patent family					
Date of the actual completion of the international search Date of mailing of the international search report						
01 JULY 1997	1 1 AUG 1997					
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Authorized officer						
Box PCT Washington, D.C. 20231	DAVID LUKTON U.S.					
Facsimile No. (703) 305-3230	Telephone No. (703) 308-0196					